


Amendments to the Claims

1. (Currently Amended) A compound of the following formula:



or a pharmaceutically acceptable salt or N-oxide thereof;

wherein

A is an aryl or heteroaryl;


each of B, B¹, and B², independently, is N or CR²; provided that at least one of B¹ and B² is N;


each of R² and R³ is independently hydrogen, alkyl, cycloalkyl, cycloalkenyl, aryl, aralkyl, heterocycloalkyl, heterocycloalkenyl, heteroaryl, or heteroaralkyl;

X¹ is a bond or C₁₋₆ alkylene, C₂₋₆ alkenylene, or C₂₋₆ alkynylene, each of which being optionally interrupted by or linked terminally to -O-, -S-, or -N(R²)-;

X² is a bond, C₁₋₆ alkylene, C₂₋₆ alkenylene, or C₂₋₆ alkynylene;

L is a linker selected from the group consisting of:





wherein:

each of R' and R'' is independently hydrogen, alkyl, alkenyl, alkynyl, alkoxy, acyl, halo, hydroxy, amino, nitro, oxo, thioxo, cyano, guanadino, amidino, carboxy, sulfo, sulfoxyl, mercapto, alkylsulfanyl, alkylsulfinyl, alkylsulfonyl, aminocarbonyl, alkylcarbonylamino, alkylsulfonylamino, alkoxy carbonyl, alkylcarbonyloxy, urea, thiourea, sulfamoyl, sulfamide, carbamoyl, cycloalkyl, cycloalkyloxy, cycloalkylsulfanyl, heterocycloalkyl, heterocycloalkyloxy, heterocycloalkylsulfanyl, aryl, aryloxy, arylsulfanyl, aroyl, heteroaryl, heteroaryloxy, heteroarylsulfanyl, or heteroaroyl;

X is $-C(R^2)(R^3)-$, $-N(R^2)-$, $-O-$, or $-S-$;

each of p1 and p2 is independently 0-2;

each of q1 and q2 is independently 0-2;

each of m1 and m2 is independently 0-2;

each of r and r1 is independently 1-2; and


r2 is 0-1;

Y is $-C(R^2)(R^3)-$, $-N(R''')-$, $-O-$, $-S-$, $-SO-$, $-SO_2-$, $-CO-$, $-CO_2-$, or a bond where R''' is hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, cycloalkenyl, cycloalkenylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclylalkyl; and


R¹ is hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, cycloalkenyl, cycloalkenylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclylalkyl.

2. (Original) The compound of claim 1, wherein L is

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304




3. (Original) The compound of claim 2, wherein L is




4. (Original) The compound of claim 3, wherein X is -CH₂-, p1 is 1, p2 is 1 or 2, q1 is 1, r2 is 1 or 2, each of m1 and m2 is independently 0 or 1, and each of R' and R'' is independently hydrogen or alkyl.

5. (Original) The compound of claim 4, wherein L is




6. (Original) The compound of claim 2, wherein L is

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304



7. (Original) The compound of claim 6, wherein X is $-\text{CH}_2-$, p_1 is 0 or 1, p_2 is 1 or 2, q_1 is 1, q_2 is 1 or 2, each of m_1 and m_2 is independently 0 or 1, and each of R' and R'' is independently hydrogen or alkyl.



8. (Original) The compound of claim 7, wherein L is

9. (Original) The compound of claim 2, wherein X^1 is a bond or C_{1-4} alkylene that is optionally linked terminally to $-\text{N}(R^2)-$, where R^2 is hydrogen or alkyl.

10. (Original) The compound of claim 2, wherein X^2 is a bond or C_{1-4} alkylene.

11. (Original) The compound of claim 2, wherein Y is $-\text{N}(R''')-$, $-\text{O}-$, $-\text{S}-$, or a bond where R''' is hydrogen, alkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclylalkyl.

12. (Original) The compound of claim 11, wherein R''' is hydrogen, cycloalkylalkyl, heterocycloalkylalkyl, aryl, heteroaryl, aralkyl, or heteroaralkyl.

13. Canceled.

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

14. (Original) The compound of claim 2, wherein each of R² and R³ is independently hydrogen or alkyl.

15. (Original) The compound of claim 2, wherein R¹ is hydrogen, alkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclylalkyl.

16. (Original) The compound of claim 2, wherein R¹ is hydrogen, or R¹ is phenyl, furyl, thienyl, pyrrolyl, oxazolyl, thiazolyl, imidazolyl, pyrazolyl, isoxazolyl, isothiazolyl, oxadiazolyl, triazolyl, thiadiazolyl, pyridyl, pyridazinyl, pyrimidinyl, pyrazinyl, triazinyl, quinolinyl, isoquinolinyl, indolyl, isoindolyl, benzofuryl, benzothiophenyl, benzimidazolyl, benzthiazolyl, furopyridyl, or thienopyridyl; each of which being optionally substituted with C₁₋₄ alkyl, halo, hydroxy, C₁₋₄ alkoxy, or C₁₋₄ alkylthio.

17. (Original) The compound of claim 2, wherein A is heteroaryl.

18. (Currently Amended) The compound of claim 3, wherein X¹ is a bond or C₁₋₄ alkylene that is optionally linked terminally to -N(R²)-; X² is a bond or C₁₋₄ alkylene; Y is -N(R''')-, -O-, -S-, or a bond where R''' is hydrogen, cycloalkylalkyl, heterocycloalkylalkyl, aryl, heteroaryl, aralkyl, or heteroaralkyl; ~~B is N; each of B¹ and B², independently, is N or CH; each of R² and R³ is independently hydrogen or alkyl; R¹ is cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclylalkyl; and A is heteroaryl.~~

19. (Original) The compound of claim 18, wherein X¹ is a bond; each of R² and R³ is hydrogen; and R¹ is aryl or heteroaryl.

20. (Original) The compound of claim 18, wherein X is -CH₂-, p1 is 1, p2 is 1 or 2, q1 is 1, r2 is 1 or 2, each of m1 and m2 is independently 0 or 1, and each of R' and R'' is independently hydrogen or alkyl.

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

21. (Currently Amended) The compound of claim 6, wherein X¹ is a bond or C₁₋₄ alkylene that is optionally linked terminally to -N(R²)- where R² is hydrogen or alkyl; X² is a bond or C₁₋₄ alkylene; Y is -N(R''')-, -O-, -S-, or a bond where R''' is hydrogen, cycloalkylalkyl, heterocycloalkylalkyl, aryl, heteroaryl, aralkyl, or heteroaralkyl; ~~B is N; each of B¹ and B², independently, is N or CH;~~ each of R² and R³ is independently hydrogen or alkyl; R¹ is cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclylalkyl; and A is heteroaryl.
22. (Original) The compound of claim 21, wherein X is -CH₂-, p1 is 0 or 1, p2 is 1 or 2, q1 is 1, q2 is 1 or 2, each of m1 and m2 is independently 0 or 1, and each of R' and R" is independently hydrogen or alkyl.
23. (Currently Amended) The compound of claim 1, said compound being selected from the group consisting of:
(7RS, 9aRS)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
(6RS, 9aRS)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-6-yl]-methanol;
(7RS, 9aRS)-[2-(5-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-7-yl)-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
(7RS, 9aRS)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
(7RS, 9aSR)-5-[7-(3-fluoro-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-N⁵-(2-pyrimidin-2-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl)-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;
(7RS, 9aSR)-N⁵-[2-(5-chloro-1-methyl-3-trifluoromethyl-1H-pyrazol-4-ylmethyl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aSR)-2-furan-2-yl-N⁵-(2-pyrimidin-2-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl)-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;

(7RS, 9aRS)-5-(7-aminomethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-{7-[(bis-pyridin-4-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(pyrimidin-2-ylaminomethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-(7-[(pyridin-4-ylmethyl)-amino]-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

2-furan-2-yl-5-[5-(5-methyl-isoxazol-3-ylmethyl)-2,5-diaza-bicyclo[2.2.1]hept-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine ;

5-[5-(4-fluoro-benzyl)-2,5-diaza-bicyclo[2.2.1]hept-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

5-[5-(4-chloro-benzyl)-hexahydro-pyrrolo[3,4-b]pyrrol-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

5-[1-(2,6-dichloro-benzyl)-hexahydro-pyrrolo[3,4-b]pyrrol-5-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

~~7-(1-benzyl hexahydro-pyrrolo[3,4-b]pyrrol-5-yl) 2-furan-2-yl-[1,2,4]triazolo[1,5-e]pyrimidin-5-ylamine;~~

~~7-[5-(2,6-difluoro-benzyl)-2,5-diaza-bicyclo[2.2.1]hept-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-e]pyrimidin-5-ylamine;~~

~~7-[5-(3,5-dimethyl-isoxazol-4-ylmethyl)-2,5-diaza-bicyclo[2.2.1]hept-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-e]pyrimidin-5-ylamine;~~

~~5-(1-benzyl hexahydro-pyrrolo[3,4-b]pyrrol-5-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;~~

(±)-2-furan-2-yl-5-(octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

~~(±)-2-furan-2-yl-7-(octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-e]pyrimidin-5-ylamine;~~

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(\pm)-2-furan-2-yl-5-(octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;
(\pm)-2-furan-2-yl-5-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(S)-2-furan-2-yl-5-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(S)-2-furan-2-yl-7-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;
(S)-2-furan-2-yl-5-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;
(3S, 8aS)-5-(3-benzyl-hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
(7RS, 9aSR)-[2-(5-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-7-yl)-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
(7RS, 9aSR)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
(6RS, 9aRS)-[2-(5-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-7-yl)-octahydro-pyrido[1,2-a]pyrazin-6-yl]-methanol;
(6RS, 9aRS)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-6-yl]-methanol;
(7RS, 9aRS)-7-[7-(2,4-difluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;
(7RS, 9aRS)-2-furan-2-yl-7-(7-phenoxy-methyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;
(7RS, 9aRS)-7-[7-(2-fluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;
(7RS, 9aRS)-7-[7-(3-fluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aRS)-5-[7-(2,4-difluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(quinolin-6-yloxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-(7-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(pyridin-2-yloxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(pyridin-3-yloxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(pyridin-4-yloxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(7RS, 9aRS)-5-[7-(benzo[1,3]dioxol-5-yloxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(1H-indol-5-yloxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(7RS, 9aRS)-5-[7-(3-amino-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(7RS, 9aRS)-5-[7-(2,4-difluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(quinolin-6-yloxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-(7-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(5,6,7,8-tetrahydro-naphthalen-2-yloxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-[7-(2-fluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-[7-(3-fluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aRS)-5-[7-(4-fluoro-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(4-methoxy-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(2,3,5-trifluoro-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(2,4,6-trifluoro-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(pyridin-2-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(pyridin-3-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(pyridin-4-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(4-trifluoromethyl-pyrimidin-2-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(6-trifluoromethyl-pyrimidin-4-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(quinazolin-2-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(isoquinolin-3-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(isoquinolin-5-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-[7-(1H-pyrazolo[3,4-d]pyrimidin-4-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-(7-imidazol-1-ylmethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-(7-[1,2,4]triazol-1-ylmethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aRS)-2-furan-2-yl-5-(7-tetrazol-1-ylmethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-
[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
~~(7RS, 9aSR)-2-furan-2-yl-7-[7-(4-methoxy-phenoxy)methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-e]pyrimidin-5-ylamine;~~
~~(7RS, 9aSR)-2-furan-2-yl-7-(7-phenoxy)methyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-e]pyrimidin-5-ylamine;~~
~~(7RS, 9aSR)-2-furan-2-yl-7-[7-(5,6,7,8-tetrahydro-naphthalen-2-yloxy)methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-e]pyrimidin-5-ylamine;~~
(7RS, 9aSR)-5-[7-(2,4-difluoro-phenoxy)methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(4-methoxy-phenoxy)methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-(7-phenoxy)methyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(5,6,7,8-tetrahydro-naphthalen-2-yloxy)methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(pyridin-2-yloxy)methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(pyridin-3-yloxy)methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(pyridin-4-yloxy)methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-5-[7-(benzo[1,3]dioxol-5-yloxy)methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(quinazolin-2-yloxy)methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(quinolin-2-yloxy)methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(isoquinolin-3-yloxy)methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aSR)-2-furan-2-yl-5-[7-(isoquinolin-5-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-5-[7-(2-fluoro-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-5-[7-(4-fluoro-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
~~(6RS, 9aRS) [2-furan-2-yl-5-[6-(quinolin-5-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;~~
~~(6RS, 9aRS) [5-[6-(3-amino-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;~~
~~(6RS, 9aRS) [5-[6-(benzo[1,3]dioxol-5-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;~~
~~(6RS, 9aRS) [2-furan-2-yl-5-[6-(pyridin-3-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;~~
(6RS, 9aRS)-[2-furan-2-yl-5-(6-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(6RS, 9aRS)-[2-furan-2-yl-5-[6-(5,6,7,8-tetrahydro-naphthalen-1-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(6RS, 9aRS)-[5-[6-(3-amino-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(6RS, 9aRS)-[5-[6-(benzo[1,3]dioxol-5-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(6RS, 9aRS)-[2-furan-2-yl-5-[6-(1H-indol-5-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(6RS, 9aRS)-[1-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-6-ylmethyl]-1H-indol-5-ol;
~~(7RS, 9aRS) 2-furan-2-yl-N5-(2-pyrimidin-2-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl)-[1,2,4]triazolo[1,5-a]pyrimidine-5,7-diamine;~~

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aRS)-3-amino-5-{7-[(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-ylamino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-6-chloro-pyrazine-2-carboxylic acid methyl ester;

(7RS, 9aRS)-N5-[2-(3,5-difluoro-phenyl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;

~~(7RS, 9aRS)-N5-[2-(2,4-difluoro-benzyl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidine-5,7-diamine;~~

(7RS, 9aRS)-N5-[2-(2,4-difluoro-benzyl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;

~~(7RS, 9aRS)-5-(7-aminomethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;~~

~~(7RS, 9aRS)-7-(7-aminomethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-5-ylamine;~~

(7RS, 9aSR)-5-(7-aminomethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

~~(7RS, 9aSR)-5-(7-aminomethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;~~

(7RS, 9aRS)-5-(7-{{[bis-(2-fluoro-benzyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{{[bis-(2,4-difluoro-benzyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-{7-[(2,4-difluoro-benzylamino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{{[bis-(2,4,6-trifluoro-benzyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{{[bis-(2,3-difluoro-benzyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{{[bis-(2,6-difluoro-benzyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aRS)-5-(7-{[bis-(3,5-difluoro-benzyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{[bis-(5-chloro-furan-2-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-{7-[(bis-pyridin-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-{7-[(bis-pyridin-3-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-2-furan-2-yl-5-(7-{[(pyridin-3-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{[bis-(2-chloro-1-methyl-4-trifluoromethyl-1H-pyrrol-3-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{[bis-(3,5-dimethyl-isoxazol-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{[(3,5-dimethyl-isoxazol-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-{7-[(bis-cyclohexylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-{7-[(bis-furan-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{[bis-(1H-pyrrol-2-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{[bis-(5-chloro-1,3-dimethyl-1H-pyrazol-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{[(5-chloro-1,3-dimethyl-1H-pyrazol-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aRS)-5-{7-[(bis-thiazol-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-{7-[(bis-thiophen-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-(7-{{[bis-(5-methyl-thiophen-2-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
~~(7RS, 9aRS) 2-furan-2-yl-7-[7-(pyrimidin-2-ylaminomethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;~~
~~(7RS, 9aRS) 7-[7-[(bis-pyridin-4-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;~~
~~(7RS, 9aRS) 7-[7-[(bis-furan-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;~~
~~(7RS, 9aRS) 7-(7-{{[bis-(3,5-dimethyl-isoxazol-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;~~
~~(7RS, 9aRS) 2-furan-2-yl-5-[7-(pyrimidin-2-ylaminomethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;~~
~~(7RS, 9aRS) 5-[7-[(bis-pyridin-4-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;~~
~~(7RS, 9aRS) 5-[7-[(bis-furan-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;~~
~~(7RS, 9aRS) 5-(7-{{[bis-(3,5-dimethyl-isoxazol-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;~~
(7RS, 9aSR)-2-furan-2-yl-5-[7-(pyrimidin-2-ylaminomethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-5-{7-[(bis-pyridin-4-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-(7-{{[(pyridin-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-5-{7-[(bis-pyridin-3-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aSR)-2-furan-2-yl-5-(7-{{(pyridin-3-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-5-{7-[(bis-furan-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-2-furan-2-yl-5-(7-{{(furan-2-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-5-(7-{{(bis-(3,5-dimethyl-isoxazol-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-5-(7-{{(3,5-dimethyl-isoxazol-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-2-furan-2-yl-5-[7-(pyrimidin-2-ylaminomethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(7RS, 9aSR)-5-{7-[(bis-furan-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(7RS, 9aSR)-5-{7-[(bis-pyridin-4-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(R)-2-furan-2-yl-5-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(R)-2-furan-2-yl-7-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;

2-furan-2-yl-5-(1-quinolin-2-ylmethyl-hexahydro-pyrrolo[3,4-b]pyrrol-5-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine; and

7-[5-(2,3-dichloro-6-fluoro-benzyl)-2,5-diaza-bicyclo[2.2.1]hept-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;

7-[5-(2,4-difluoro-benzyl)-2,5-diaza-bicyclo[2.2.1]hept-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;

7-[5-(5-bromo-furan-2-ylmethyl)-2,5-diaza-bicyclo[2.2.1]hept-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;

2-furan-2-yl-7-(5-quinolin-2-ylmethyl-2,5-diaza-bicyclo[2.2.1]hept-2-yl)-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aRS)-2-furan-2-yl-7-[7-(quinolin-7-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(quinolin-7-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine; and
(7RS, 9aRS)-2-furan-2-yl-7-[7-(quinolin-6-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine.

24. (Currently Amended) The compound of claim 1, said compound being selected from the group consisting of:

(±)2-furan-2-yl-5-(octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(±)2-furan-2-yl-7-(octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;
(±)2-furan-2-yl-5-(octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;
(±)2-furan-2-yl-5-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
(7RS, 9aRS)-[2-(5-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-7-yl)-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
(7RS, 9aRS)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
(6RS, 9aRS)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-6-yl]-methanol;
(7RS, 9aRS)-[2-furan-2-yl-7-(7-phenoxy-methyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine];
(7RS, 9aRS)-7-[7-(2-fluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS,9aRS)-7-[7-(3-fluoro-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;

(7RS,9aRS)-2-furan-2-yl-5-[7-(quinolin-6-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(7RS,9aRS)-2-furan-2-yl-5-(7-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;

(7RS,9aRS)-2-Furan-2-yl-5-[7-(quinolin-6-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS,9aRS)-2-Furan-2-yl-5-(7-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS,9aRS)-5-[7-(2-fluoro-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS,9aRS)-5-[7-(3-fluoro-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS,9aRS)-2-furan-2-yl-5-[7-(pyridin-3-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS,9aRS)-2-furan-2-yl-5-[7-(isoquinolin-5-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS,9aRS)-2-furan-2-yl-5-[7-(1H-pyrazolo[3,4-d]pyrimidin-4-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS,9aRS)-2-furan-2-yl-5-(7-imidazol-1-ylmethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS,9aRS)-2-furan-2-yl-5-(7-[1,2,4]triazol-1-ylmethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS,9aSR)-2-furan-2-yl-7-(7-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;

(7RS,9aSR)-2-furan-2-yl-5-[7-(quinolin-2-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(6RS,9aRS)-2-furan-2-yl-5-(6-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS,9aRS)-2-furan-2-yl-N5-(2-pyrimidin-2-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl)-
[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;
(7RS,9aRS)-5-(7-aminomethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-
[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
~~(7RS,9aRS) 7 (7 aminomethyl octahydro pyrido[1,2-a]pyrazin 2-yl) 2 furan 2-yl-
[1,2,4]triazolo[1,5-e]pyrimidin 5-ylamine;~~
(7RS,9aSR)-5-(7-aminomethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-
[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-5-{7-[(2,4-difluoro-benzylamino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-
yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-5-{7-[(bis-pyridin-4-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-
2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-2-furan-2-yl-5-(7-{[(pyridin-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-
a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-5-{7-[(bis-pyridin-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-
2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-5-{7-[(bis-pyridin-3-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-
2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-2-furan-2-yl-5-[7-(pyrimidin-2-ylaminomethyl)-octahydro-pyrido[1,2-a]pyrazin-
2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-5-(7-{{(5-chloro-1,3-dimethyl-1H-pyrazol-4-ylmethyl)-amino}-methyl}-
octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-
ylamine;
~~(7RS,9aRS) 5 {7 [(bis pyridin 4 ylmethyl amino) methyl] octahydro pyrido[1,2-a]pyrazin-
2-yl} 2 furan 2-yl [1,2,4]triazolo[1,5-a]pyrimidin 7-ylamine;~~
(7RS,9aSR)-5-{7-[(bis-pyridin-3-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-
2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(R)-2-furan-2-yl-5-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-
a][1,3,5]triazin-7-ylamine; and

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(R)-2-furan-2-yl-7-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;
(7RS,9aRS)-2-furan-2-yl-7-[7-(quinolin-7-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;
(7RS,9aRS)-2-furan-2-yl-5-[7-(quinolin-7-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine; and
(7RS,9aRS)-2-furan-2-yl-7-[7-(quinolin-6-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine.

25. (Currently Amended) The compound of claim 1, said compound being selected from the group consisting of:

(7RS,9aRS)-2-furan-2-yl-5-[7-(quinolin-6-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-5-[7-(3-fluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-2-furan-2-yl-N5-(2-pyrimidin-2-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl)-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;
(7RS,9aRS)-7-(7-aminomethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;
(7RS,9aRS)-5-{7-[(bis-pyridin-3-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine; and
(R)-2-furan-2-yl-7-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;
(7RS,9aRS)-2-furan-2-yl-7-[7-(quinolin-7-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine;
(7RS,9aRS)-2-furan-2-yl-5-[7-(quinolin-7-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine; and
(7RS,9aRS)-2-furan-2-yl-7-[7-(quinolin-6-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-c]pyrimidin-5-ylamine.

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

26. (Original) A pharmaceutical composition comprising a compound of claim 1 and a pharmaceutically acceptable carrier.
27. (Original) A pharmaceutical composition comprising a compound of claim 23 and a pharmaceutically acceptable carrier.
- 28-33. (Canceled)
34. (Currently Amended) ~~The A method of claim 32 or 33, wherein the treating a disorder or disease [[is]] selected from the group consisting of Parkinson's disease, progressive supranuclear palsy, multiple system atrophy, Alzheimer's disease, depression, AIDS encephalopathy, multiple sclerosis, amyotrophic lateral sclerosis, migraine, attention deficit disorder, narcolepsy, sleep apnea that results in excessive daytime sleepiness, Huntington's disease, cerebral ischemia, brain trauma, hepatic fibrosis, cirrhosis, and fatty liver.~~
35. (Original) The method of claim 34, wherein the disorder or disease is Parkinson's disease.
36. (Original) The method of claim 34, wherein the disorder or disease is depression.
37. (Original) The method of claim 34, wherein the disorder or disease is migraine.
38. (Original) The method of claim 34, wherein the disorder or disease is hepatic fibrosis.
39. (Original) The method of claim 34, wherein the disorder or disease is Huntington's disease.